L Number	Hits	Search Text	DB	Time stamp
-	1067	samsung and (printhead (print\$3 near head\$1))	USPAT;	2004/07/26 13:13
:			US-PGPUB;	
			EPO; JPO;	
	205	(DERWENT	0004/07/00 00:00
-	285	(samsung and (printhead (print\$3 near head\$1))) and	USPAT;	2004/07/28 09:32
		347/\$.ccls.	US-PGPUB; EPO; JPO;	
			DERWENT	
_	27	((samsung and (printhead (print\$3 near head\$1))) and	USPAT;	2004/07/28 09:31
		347/\$.ccls.) and (347/56.ccls. 347/63.ccls.)	US-PGPUB;	200 01,120 00.01
			EPO; JPO;	
			DERWENT	
-	10	(((samsung and (printhead (print\$3 near head\$1))) and	USPAT;	2004/07/26 13:15
		347/\$.ccls.) and (347/56.ccls. 347/63.ccls.)) and (passivat\$3	US-PGPUB;	
		near layer\$1) and heat\$3	EPO; JPO;	
			DERWENT	
-	15	("4353078" "4480259" "4513298" "4580148" "4716423"	USPAT	2004/07/26 13:19
		"4942408" "5153610" "5364743" "5463411" "5467112"		
		"5515085" "5539437" "5684519" "5718044"		
_	4	"5809646").PN. (("5841452") or ("4882595")).PN.	USPAT;	2004/07/26 14:06
-		((304 1402)	US-PGPUB;	200 1/0//20 1 1:00
			EPO; JPO;	
			DERWENT	
-	1769	silverbrook-\$.in.	USPAT;	2004/07/26 14:06
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	643	silverbrook-\$.in. and 347/\$.ccls.	USPAT;	2004/07/28 09:34
			US-PGPUB;	
			EPO; JPO; DERWENT	
_	0	(silverbrook-\$.in. and 347/\$.ccls.) and (passivat\$3 near	USPAT;	2004/07/26 14:08
-		layer\$1 near heat\$3 near substrate)	US-PGPUB:	2004/01/20 11:00
		l layery i fical fical substituto,	EPO; JPO;	
			DERWENT	
-	2	(silverbrook-\$.in. and 347/\$.ccls.) and (passivat\$3 near	USPAT;	2004/07/26 14:09
		layer\$1 near substrate)	US-PGPUB;	
			EPO; JPO;	
	_	0440040	DERWENT	0004/07/00 44:00
-	2	6412918.pn.	USPAT;	2004/07/26 14:23
			US-PGPUB; EPO; JPO;	
			DERWENT	
-	2	("5016024" "5305018").PN.	USPAT	2004/07/26 14:10
-	2	6162589.pn.	USPAT;	2004/07/26 14:23
		,	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
j -	544	silverbrook-\$.in. and 347/\$.ccls. and heat\$3	USPAT;	2004/07/27 13:17
			US-PGPUB;	
			EPO; JPO; DERWENT	
l_	6	(silverbrook-\$.in. and 347/\$.ccls. and heat\$3) and	USPAT:	2004/07/27 13:24
1	"	347/63.ccls.	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	15	("3650019" "4275290" "4296421" "4429321" "4450455"	USPAT	2004/07/27 13:21
		"4490728" "4520373" "4580149" "4611219" "4723129"		
		"4769654" "4847630" "4889587" "4961821"		
		"5016024").PN.	<u> </u>	<u> </u>

USPAT: U					
near cylindrical)	-	0	((samsung and (printhead (print\$3 near head\$1))) and	USPAT;	2004/07/28 09:32
1 1 (sansung and (printhead (print\$3 near head\$1))) and 347/\$.ccls. and (nozzle\$1 near cylindrical) USP-GPUB, EPO, JPO; DERWENT USP-ATT, Cylindrical) USP-GPUB, EPO, JPO; DERWENT USP-ATT, USP-A				US-PGPUB;	
1 (samsung and (printhead (print\$3 near head\$11)) and 347/\$.ccls. and (nozzle\$1 near cylindrical) SPAT, 347/\$.ccls. and (nozzle\$1 near cylindrical) SPAT, 347/\$.ccls. and (nozzle\$1 near (taper\$3 slant\$3)) SPAT, 347/\$.ccls. and (nozzle\$1 near cylindrical near taper\$3) SPAT, 347/\$.ccls. and (nozzle\$1 near cylindrical) and (nozzle\$1 near taper\$3) SPAT, 347/\$.ccls. and (nozzle\$1 near cylindrical) and (nozzle\$1 near taper\$3) SPAT, 347/\$.ccls. and (nozzle\$1 near (taper\$3 slant\$3)) SPAT, 347/\$.ccls. and (nozzle\$1 near cylindrical) and (nozzle\$1 near taper\$3) SPAT, 347/\$.ccls. and (nozzle\$1 near (taper\$3 slant\$3)) SPAT, 347/\$.ccls. and (nozzle\$1 near plate near (nickel gold) near "mu.m.") SPAT, 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) S			near cylindrical)		
347/\$.ccls. and (nozzle\$1 near cylindrical) silverbrook-\$.in. and 347/\$.ccls. and (nozzle\$1 near cylindrical) silverbrook-\$.in. and 347/\$.ccls. and (nozzle\$1 near (taper\$3 slant\$3)) silverbrook-\$.in. and 347/\$.ccls. and (nozzle\$1 near (taper\$3 slant\$3)) silverbrook-\$.in. and 347/\$.ccls. and (nozzle\$1 near (taper\$3 slant\$3))) and samsung 1 (347/\$.ccls. and (nozzle\$1 near (taper\$3 slant\$3))) and samsung 1 (347/\$.ccls. and (nozzle\$1 near (taper\$3 slant\$3))) and samsung 2 (347/\$.ccls. and (nozzle\$1 near (taper\$3 slant\$3))) and samsung 3 (347/\$.ccls. and (nozzle\$1 near cylindrical near taper\$3) 3 (347/\$.ccls. and (nozzle\$1 near cylindrical near taper\$3) 4 (347/\$.ccls. and (nozzle\$1 near cylindrical) and (nozzle\$1 near taper\$3) 5 (347/\$.ccls. and (nozzle\$1 near (taper\$3 slant\$3)) and (nozzle\$1 near (shape\$1 geometry)) 6 (347/\$.ccls. and (substrate near (passivat\$3 adj layers)) 7 (347/\$.ccls. and (substrate near (passivat\$3 adj layers)) 8 (347/\$.ccls. and (substrate near (passivat\$3 adj layers)) 9 (347/\$.ccls. and (nozzle\$1 near plate near (nickel gold) near "mu.m.") 1 (331044 pn. and nickel 1 (3331044 pn. and nickel 1 (3331044 pn. and nickel 2 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) 3 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) 4 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) 5 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) 5 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) 6 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) 7 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) 8 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) 9 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) 10 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) 11 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) 12 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) 13 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) 14 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) 15 (347/\$.ccls				DERWENT	
Silverbrook-\$.in. and 347/\$.ccls. and (nozzle\$1 near cylindrical) Silverbrook-\$.in. and 347/\$.ccls. and (nozzle\$1 near (taper\$3 slant\$3)) Silverbrook-\$.in. and (nozzle\$1 near (taper\$3 slant\$3)) Silverbrook-\$.in. and (nozzle\$1 near (taper\$3 slant\$3)) Silverbrook-\$.in. and (nozzle\$1 near taper\$3) Silverbrook-\$.in. and (nozzle\$1 near (taper\$3 slant\$3)) Silver	-	1	(samsung and (printhead (print\$3 near head\$1))) and	USPAT;	2004/07/28 09:32
Silverbrook-S.in. and 347/\$.ccls. and (nozzle\$1 near cylindrical) CERWENT US-PGPUE; PGO, JPO, DERWENT US-PGPUE; PGO, JPO, JPO, JPO, JPO, JPO, JPO, JPO, JP			347/\$.ccls. and (nozzle\$1 near cylindrical)	US-PGPUB;	
2 3 3 3 3 3 3 3 3 3				EPO; JPO;	
cylindrical US-PCPUB EPC, JPO, DERWENT USPAT, USPA				DERWENT	
cylindrical US-PG-PUB; EPC; JPO; DERWENT USPAT;	-	36	silverbrook-\$.in. and 347/\$.ccls. and (nozzle\$1 near	USPAT;	2004/07/28 15:31
2 silverbrook-\$.in. and 347/\$.ccls. and (nozzle\$1 near (taper\$3 USPAT; USPACPUB; EPO, JPO, DERWENT samsung USPAT; USPACPUB; EPO, JPO, DERWENT USPACPUB; EPO, JPO,	ļ		cylindrical)	US-PGPUB;	
2 silverbrook-\$in. and 347/\$.ccls. and (nozzle\$1 near (taper\$3 LSPAT; US-PGPUB; EPC, UPC) DERWENT USPAT; US-PGPUB; EPC, UPC, UPC) DERWENT USPAT; USPAT; US-PGPUB; EPC, UPC, UPC) DERWENT USPAT;				EPO; JPO;	
Stant\$3)				DERWENT	
1	-	2	silverbrook-\$.in. and 347/\$.ccls. and (nozzle\$1 near (taper\$3	USPAT;	2004/07/28 09:52
1			slant\$3))	US-PGPUB;	
1	ĺ			EPO; JPO;	
Samsung	[DERWENT	
Samsung	-	1	(347/\$.ccls. and (nozzle\$1 near (taper\$3 slant\$3))) and	USPAT;	2004/07/28 09:53
PPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; USP	}		1 '	US-PGPUB;	
154 347/\$.ccls. and (nozzle\$1 near (taper\$3 slant\$3))	ŀ			EPO; JPO;	
US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J	[
US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J	-	154	347/\$.ccls. and (nozzle\$1 near (taper\$3 slant\$3))	USPAT;	2004/07/28 15:35
- 0 347/\$.ccls. and (nozzle\$1 near cylindrical near taper\$3)	1			•	
DERWENT USPAT;	1				
- 12 347/\$.ccls. and (nozzle\$1 near cylindrical) and (nozzle\$1					
- 12 347/\$.ccls. and (nozzle\$1 near cylindrical) and (nozzle\$1	-	0	347/\$.ccls. and (nozzle\$1 near cylindrical near taper\$3)		2004/07/28 17:37
- 12 347/\$.ccls. and (nozzle\$1 near cylindrical) and (nozzle\$1 USPAT; USPGPUB; EPO; JPO; DERWENT USPAT; USPGPUB; EPO; JPO; JPO; DERWENT USPAT; USPGPUB; EPO; JPO; DERWENT USPAT; USPAT; USPGPUB; EPO; JPO; DERWENT USPAT; U					
12 347/\$.ccls. and (nozzle\$1 near cylindrical) and (nozzle\$1 USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J	1				
near taper\$3)		1			
near taper\$3)	-	12	347/\$.ccls. and (nozzle\$1 near cylindrical) and (nozzle\$1	USPAT;	2004/07/28 15:32
- 36 347/\$.ccls. and (nozzle\$1 near (taper\$3 slant\$3)) and (nozzle\$1 near (shape\$1 geometry)) - 8 347/\$.ccls. and (substrate near (passivat\$3 adj layers)) - 8 347/\$.ccls. and (substrate near (passivat\$3 adj layers)) - 3 inkjet and (substrate near (passivat\$3 adj layers)) - 1 6331044.pn. and nickel - 0 347/\$.ccls. and (nozzle\$1 near plate near (nickel gold) near "mu.m.") - 0 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3 near "mu.m.") - 0 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)) and (nickel gold) and "mu.m." - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)					
- 36 347/\$.ccls. and (nozzle\$1 near (taper\$3 slant\$3)) and (nozzle\$1 near (shape\$1 geometry)) - 8 347/\$.ccls. and (substrate near (passivat\$3 adj layers)) - 3 inkjet and (substrate near (passivat\$3 adj layers)) - 1 6331044.pn. and nickel - 0 347/\$.ccls. and (nozzle\$1 near plate near (nickel gold) near "mu.m.") - 0 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3 near "mu.m.") - 0 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)) - 1 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 2 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)			,	EPO; JPO;	
Constraint Con					
Consider	-	36	347/\$,ccls, and (nozzle\$1 near (taper\$3 slant\$3)) and	USPAT;	2004/07/28 15:35
- 8 347/\$.ccls. and (substrate near (passivat\$3 adj layers)) - 3 inkjet and (substrate near (passivat\$3 adj layers)) - 3 inkjet and (substrate near (passivat\$3 adj layers)) - 1 6331044.pn. and nickel - 0 347/\$.ccls. and (nozzle\$1 near plate near (nickel gold) near "mu.m.") - 0 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3 near "mu.m.") - 0 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3 near "mu.m.") - 0 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)				· ·	
- 8 347/\$.ccls. and (substrate near (passivat\$3 adj layers)) - 3 inkjet and (substrate near (passivat\$3 adj layers)) - 3 inkjet and (substrate near (passivat\$3 adj layers)) - 1 6331044.pn. and nickel - 0 347/\$.ccls. and (nozzle\$1 near plate near (nickel gold) near "mu.m.") - 0 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3 near "mu.m.") - 0 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3 near "mu.m.") - 0 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)				EPO; JPO;	
- 3 inkjet and (substrate near (passivat\$3 adj layers)) - 3 inkjet and (substrate near (passivat\$3 adj layers)) - 1 6331044.pn. and nickel - 0 347/\$.ccls. and (nozzle\$1 near plate near (nickel gold) near "mu.m.") - 0 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3 near "mu.m.") - 0 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3 near "mu.m.") - 1 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)) and (nickel gold) and "mu.m." - 1 2 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)) and (nickel gold) and "mu.m." - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)					
- 3 inkjet and (substrate near (passivat\$3 adj layers)) - 1 6331044.pn. and nickel - 0 347/\$.ccls. and (nozzle\$1 near plate near (nickel gold) near "mu.m.") - 0 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3 near "mu.m.") - 0 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)) and (nickel gold) and "mu.m." - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)	_	8	347/\$.ccls. and (substrate near (passivat\$3 adj layers))	USPAT;	2004/07/28 17:13
- 3 inkjet and (substrate near (passivat\$3 adj layers)) - 1 6331044.pn. and nickel - 1 6331044.pn. and nickel - 2 0 347/\$.ccls. and (nozzle\$1 near plate near (nickel gold) near "mu.m.") - 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3 near "mu.m.") - 2 0 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3 near "mu.m.") - 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)) and (nickel gold) and "mu.m." - 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)) and (nickel gold) and "mu.m." - 2004/07/28 17:32 2004/07/28 17:32 2004/07/28 17:32 2004/07/28 17:32 2004/07/28 17:32 2004/07/28 17:32 2004/07/28 17:32 2004/07/28 17:32 2004/07/28 17:32 2004/07/28 17:32 2004/07/28 17:32 2004/07/28 17:32 2004/07/28 17:32 2004/07/28 17:32 2004/07/28 17:32 2004/07/28 17:32				US-PGPUB;	
- 1 6331044.pn. and nickel USPAT; US-PGPUB; EPO; JPO; DERWENT US-PGPUB; EPO; JP				EPO; JPO;	
- 1 6331044.pn. and nickel US-PGPUB; EPO; JPO; DERWENT US-				DERWENT	
- 1 6331044.pn. and nickel US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT US-PGPUB;	_	3	inkjet and (substrate near (passivat\$3 adj layers))	USPAT;	2004/07/28 17:32
- 1 6331044.pn. and nickel - 0 347/\$.ccls. and (nozzle\$1 near plate near (nickel gold) near "mu.m.") - 0 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3 near "mu.m.") - 0 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3 near "mu.m.") - 0 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)) and (nickel gold) and "mu.m." - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)) and (nickel gold) and "mu.m." - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)				US-PGPUB;	
- 1 6331044.pn. and nickel - 0 347/\$.ccls. and (nozzle\$1 near plate near (nickel gold) near "mu.m.") - 0 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3 near "mu.m.") - 0 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3 near "mu.m.") - 0 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)) and (nickel gold) and "mu.m." - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)) and (nickel gold) and "mu.m." - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 1 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)		1			
- 0 347/\$.ccls. and (nozzle\$1 near plate near (nickel gold) near	1	1			
- 0 347/\$.ccls. and (nozzle\$1 near plate near (nickel gold) near US-PGPUB; EPO; JPO; DERWENT US-PGPUB; EPO; JPO; D	-	1	6331044.pn. and nickel	USPAT;	2004/07/28 17:32
- 0 347/\$.ccls. and (nozzle\$1 near plate near (nickel gold) near "SPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO;	1	1		US-PGPUB;	
- 0 347/\$.ccls. and (nozzle\$1 near plate near (nickel gold) near "mu.m.") - 0 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3 near "mu.m.") - 0 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)) - 0 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)) - 11 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 12 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 13 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 14 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 15 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 16 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 17 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)	1	1			
"mu.m.") - 0 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3 near "mu.m.") - 0 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)) - 11 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 11 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 12 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 13 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 14 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)	1	1		1	
- 0 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3 near "mu.m.") - 0 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)) and (nickel gold) and "mu.m." - 11 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 12 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 13 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)	-	0			2004/07/28 17:40
- 0 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3 near	1	1	"mu.m.")		
- 0 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3 near "mu.m.") - 0 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)) and (nickel gold) and "mu.m." - 11 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 12 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 13 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 14 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)		1			
"mu.m.") - 0 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)) and (nickel gold) and "mu.m." - 11 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 12 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) - 13 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)		_			
- (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)) and (nickel gold) and "mu.m." 2004/07/28 17:41 USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO;	-	0	347/\$.ccls. and (nozzle\$1 near plate near electroform\$3 near		2004/07/28 17:40
- 0 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)) and (nickel gold) and "mu.m." USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO;			"mu.m.")		
- 0 (347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)) uSPAT; us-PGPUB; EPO; JPO; DERWENT uspar; us-PGPUB; EPO; JPO; DERWENT uspar; us-PGPUB; EPO; JPO; DSPAT; us-PGPUB; EPO; JPO; DSPAT; us-PGPUB; EPO; JPO;		1			
and (nickel gold) and "mu.m." US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO;					
EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERVENT US-PGPUB; EPO; JPO;	-	0			2004/07/28 17:41
- 11 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) DERWENT USPAT; US-PGPUB; EPO; JPO;			and (nickel gold) and "mu.m."	1	
- 11 347/\$.ccls. and (nozzle\$1 near plate near electroform\$3) USPAT; US-PGPUB; EPO; JPO;					
US-PGPUB; EPO; JPO;					
EPO; JPO;	-	11	347/\$.ccls. and (nozzle\$1 near plate near electroform\$3)		2004/07/29 08:08
DERWENT					
		L		DERWENT	

-	1	5841452.pn. and (nickel gold)	USPAT;	2004/07/28 17:50
		,	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	0	347/\$.ccls. and ((nozzle\$1 near plate near electroform\$3)	USPAT;	2004/07/29 08:09
		with ("mu.m." micron\$1))	US-PGPUB;	
]	, , , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT	
-	74	347/\$.ccls. and ((nozzle\$1 near plate) with ("mu.m."	USPAT;	2004/07/29 08:14
		micron\$1))	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	54	(347/\$.ccls. and ((nozzle\$1 near plate) with ("mu.m."	USPAT;	2004/07/29 08:14
	ļ	micron\$1))) and (nickel gold)	US-PGPUB;	
			EPO; JPO;	
ľ			DERWENT	
-	74	+	USPAT;	2004/07/29 08:14
		micron\$1))	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	54	[(* * * * * *	USPAT;	2004/07/29 09:07
		micron\$1))) and (nickel gold)	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	5	samsung and (cylindrical near nozzle\$1)	USPAT;	2004/07/29 09:07
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	